

COVID-19 VACCINE: ANSWERS TO YOUR QUESTIONS

A PRESENTATION FOR STAFF AND
RESIDENTS IN POST-ACUTE AND
LONG-TERM CARE



THE SOCIETY
FOR POST-ACUTE AND
LONG-TERM
CARE MEDICINE™

1



WHY SHOULD I GET VACCINATED?

- Protect myself and my family
- Keep my residents safe
- Help stop spread in the community
- Set the example for others, including residents, families, co-workers, and the community-at-large

2

COMMON QUESTIONS WE WILL ADDRESS:

- How do we know the vaccine is effective and safe?
- Why should we trust the vaccine?
- Is there new technology being used and is that dangerous to me?
- What is an EUA and what does that mean for me?
- When and how long will I be protected?
- Will I still need to wear a mask?
- What are the expected side effects?
- What if I've already had COVID-19?
- Where should I look to get accurate information?

3

ARE THE COVID-19 VACCINES SAFE?

- Safety is the most important priority in vaccine approval
- Most side effects occur within 6 weeks of vaccination. To be more cautious, the FDA (Food and Drug Administration) requires 8 weeks of safety monitoring of the COVID-19 vaccines
- Monitoring for safety will continue as the vaccine is distributed to the public
- To assess safety FDA typically advises that a minimum of 3,000 participants are included in the trial. The COVID-19 vaccine trials for the current vaccines included 30,000 to 44,000 participants

4

HOW EFFECTIVE ARE THE COVID-19 VACCINES?

	Pfizer (BNT162b2)	Moderna (mRNA-1273)
Efficacy Overall	95% protection from having an infection	94.1% protection from having an infection

Similar efficacy with different race, ethnicity and age

5

WHO WAS INCLUDED IN THE COVID-19 VACCINE TRIALS?

	Pfizer (BNT162b2)	Moderna (mRNA-1273)
Number of people enrolled	Over 40,000	Over 25,000
Race and ethnicity of participants	Total 30% racially diverse 10% black, 13% Hispanic	37% racially diverse 10% black, 20% Hispanic/Latino
Older adults	45% were 56-85 years	23% were >65 years

- **Notes:** Courtesy of Dr. Anuj Mehta, Data is accurate as of 1/11/2020. More information is constantly becoming available. Sub-group comparisons (e.g. comparisons about efficacy between races or age groups) may be less accurate due to smaller numbers. Sub-group numbers for the Pfizer vaccine are given for US participants with international percentages in parentheses.
- <https://www.pfizer.com/news/press-release/press-release-detail/pfizer-and-biontech-conclude-phase-3-study-covid-19-vaccine>
- <https://www.pfizer.com/science/coronavirus/covid19>
- <https://investors.modernatx.com/news-releases/news-release-details/modernas-covid-19-vaccine-candidate-meets-its-primary-efficacy>
- https://www.modernatx.com/sites/default/files/content_documents/2020-COVID-Study-Enrollment-Completion-10.22.20.pdf

6

WHY SHOULD WE TRUST THE COVID-19 VACCINE?

- The FDA used the same strict standards that it has for decades
- No steps were “skipped”
- Two **independent advisory committees** reviewed the results. Members and experts of these committees have no conflict of interest and are not associated with any vaccine manufacturers
 1. The Vaccine and Related Biological Products Advisory Committee (VRBPAC) that advises the FDA
 2. The Advisory Committee on Immunization Practices (ACIP) that advises the CDC

7

- **An Emergency Use Authorization (EUA)** for a vaccine is based on the need to use a vaccine quickly to save lives during a public health emergency
- EUA is a shorter process **but no steps are skipped in the safety evaluation process**
- The FDA assesses if the vaccine known and potential benefits outweigh the known and potential risks
- Two separate advisory boards (VRBPAC and ACIP) also review the data and make recommendations
- **An EUA does NOT imply that the authorization was done too quickly or that the vaccine is not safe**

WHAT IS AN
EUA AND
WHAT DOES
THAT MEAN
FOR ME?

8

HOW WAS THE VACCINE DEVELOPED SO QUICKLY?

Major reasons we were able to get these vaccines developed more quickly than usual include :

- Global effort with the world's leading scientists focused on a single task
- Nearly unlimited resources (money, knowledge, manpower, technology)
- A large pool of diverse adult volunteer trial participants

9

THE FIRST TWO COVID-19 VACCINES

Both are mRNA vaccines

- Pfizer (BNT162b2)
- Moderna (mRNA-1273)

They Do NOT contain COVID-19 virus

10



mRNA COVID-19 Vaccines

- mRNA technology is new in vaccine production but is already being used in cancer treatment. It has been studied for more than ten years.
- COVID-19 mRNA vaccines give instructions for our cells to make a **harmless piece** that looks like the “spike protein.” The spike protein is found on the surface of the COVID-19 virus.
- Our bodies recognize that this protein should not be there, so they build antibodies that will remember how to fight the virus that causes COVID-19 if we are infected in the future.

Can mRNA vaccine give me COVID-19? NO
Can mRNA vaccine change my DNA? NO

11

WHEN AND HOW LONG WILL I BE PROTECTED BY THE COVID-19 VACCINE?

- Most of the vaccines are **2 doses**, 3-4 weeks apart.
- Protection occurs **1-2 weeks after the second dose**.
- We will most likely not know how long the vaccine will be protective once we receive it. We will know more as more time passes in the current research.
- We may need to have vaccine shots for COVID-19 on a regular basis (like the flu shot).

12



WILL I STILL NEED TO WEAR A MASK?

YES !

Similar to other vaccines, a large number of people in the community will need to get vaccinated before transmission drops enough to stop the use of masks

13

WHAT SHOULD I EXPECT WHEN I GET THE VACCINE?

THE VACCINE CANNOT GIVE YOU COVID-19!

- You can expect to have short-term discomfort: fatigue, headache, muscle pain, chills, fever and pain at injection site after vaccination
- These reactions can last for 1-3 days and are typically more pronounced after the second dose
- Side effects mean your body is doing its job and making antibodies (IT IS A GOOD THING)
- These side effects are normal, common and expected

14

MOST COMMON
SIDE EFFECTS

BASED ON DATA FROM
CLINICAL TRIAL OF PFIZER
COVID-19 VACCINE

- Fever: 4-16%
- Fatigue 34-59%
- Headache: 25-52%
- Muscular pain: 14-37%

Side effects were more common after the second dose of the vaccine.

Reference: Data published in the New England Journal of Medicine:
<https://www.nejm.org/doi/full/10.1056/NEJMoa2034577>

15

WHAT
SHOULD I
EXPECT
WHEN I GET
THE
VACCINE?

- **YOU MUST GET THE SECOND DOSE** because the vaccine will not fully protect you if only get one dose
- It is important to get the **SAME VACCINE** as the first dose

16

- It is safe to get the COVID-19 vaccine even if you have had COVID-19
- Even if you have had COVID-19, it is important to get vaccinated. It could give you longer or better protection against the disease
- Even if you have positive antibodies, you should get the COVID-19 vaccine

SPECIAL
CIRCUMSTANCE

WHAT IF I
ALREADY HAD
COVID-19?

17

WHERE SHOULD I LOOK TO GET ACCURATE INFORMATION?

It is important to get information from reliable sources (CDC, AMDA, medical directors, providers) **Social media is full of misinformation and opinions based on that misinformation**

Here are some link to information:

- CDC: <https://www.cdc.gov/vaccines/hcp/covid-conversations/answering-questions.html>
- CDC: About COVID-19 vaccines: <https://www.cdc.gov/coronavirus/2019-ncov/vaccines/about-vaccines.html>
- CDC: Provider Resources for COVID-19 Vaccine Conversations with Patients and Answering Patients' Questions: <https://www.cdc.gov/vaccines/hcp/covid-conversations/>

18

VACCINES ARE
THE ONLY WAY
TO CONTROL
THE COVID-19
PANDEMIC

- Everyone has to do their part and get vaccinated to get back to a normal life



19

QUESTIONS?



20